

WINTER WONDERLAND

Designed by Robert Kaufman Fabrics Featuring **WINTER'S MAJESTY**
www.robertkaufman.com



Finished quilt measures: 53-1/2" x 77-1/2"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ABK-16705-88 ICE	1 panel		D	ABK-16707-88 ICE	1-1/4 yard
	B	ABK-16707-69 MIDNIGHT	1-1/2 yard		E	ABK-16706-88 ICE	3/4 yard
	C	ABK-16707-277 WINTER <i>*includes binding</i>	1-1/4 yard	You will also need: 3-1/2 yards for backing or 2 yards of Wide Backing			
Copyright 2017, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

one 19-1/2" square center panel and four 9-1/2" squares

From Fabric B, cut:

two 1" x WOF strips, trim to yield:

two 1" x 19-1/2" side panel borders

two 1" x 21" top and bottom panel borders

five 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

four 3-1/2" x 27-1/2" strips

two 3-1/2" x 45-1/2" strips

six 4-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 4-1/2" x 45-1/2" top and bottom borders

two 4-1/2" x 77-1/2" side borders

From Fabric C, cut:

three 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:
four 3-1/2" x 27-1/2" strips
two 3" x WOF strips. Subcut:
sixteen 3" squares for the HSTs
three 2-1/2" x WOF strips. Subcut:
sixteen 2-1/2" x 5-1/2" rectangles
seven 2-1/2" x WOF strips for the binding

From Fabric D, cut:

three 4" x WOF strips. Subcut:
two 4" x 20-1/2" top and bottom panel borders
two 4" x 27-1/2" side panel borders
three 3-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:
four 3-1/2" x 27-1/2" strips
two 3" x WOF strips. Subcut:
sixteen 3" squares for the HSTs
three 2-1/2" x WOF strips. Subcut:
sixteen 2-1/2" x 5-1/2" rectangles

From Fabric E, fussy cut:

two 9-1/2" squares showcasing larger images from the print
eight 5-1/2" squares showcasing smaller images from the print

Assemble the Pieced Block Rows

Step 1: Pair a 3" Fabric C square with a 3" Fabric D square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make a total of 32 C/D HSTs.



Step 2: Gather one 5-1/2" Fabric E square, four C/D HSTs, two 2-1/2" x 5-1/2" Fabric C rectangles and two 2-1/2" x 5-1/2" Fabric D rectangles. Arrange in three rows of three, following the Block Assembly Diagram, noting the fabric placement and HST orientation. Sew the pieces together to form the rows, pressing the seams toward the rectangles. Sew the rows together to form the block, pressing the seams open or to one side. Repeat to make eight 9-1/2" square Pieced Blocks. NOTE: four blocks will have Fabric C on the top and bottom and four blocks will have Fabric C on the left and right.



Step 3: Gather one 9-1/2" Fabric A square and two of each type of pieced block from Step 2. Arrange to form the top pieced row, following the diagram. Sew together, pressing the seams to one side. Repeat to make the second pieced row, noting the slightly different placement and orientation of the blocks in the diagram.



Assemble the Quilt



Step 4: Sew a 1" x 19-1/2" Fabric B panel border to the top and bottom of the Fabric A center panel. Press the seams toward the border. Sew a 1" x 21" Fabric B panel border to the sides of the Fabric A center panel. Press the seams toward the border.

Step 5: Sew a 20-1/2" Fabric D panel border to the top and bottom of the Fabric A center panel. Press the seams toward the border. Sew a 27-1/2" Fabric D panel border to the sides of the Fabric A center panel. Press the seams toward the border.

Step 6: Sew a 3-1/2" x 27-1/2" Fabric B and D strip to opposite sides of a 3-1/2" x 27-1/2" Fabric C strip to form one striped border unit. Press the seams to one side. Repeat to make a total of four striped border units.

Step 7: Sew a 9-1/2" Fabric A or E square square to the left and right sides of a striped border unit from Step 6, noting the orientation of the blocks in the diagram and the fabric order of the striped unit. This forms the top striped border. Press the seams toward the square. Repeat to make the bottom striped border, noting the slightly different placement and orientation of the blocks in the diagram.

Step 8: Sew the remaining striped border units from Step 6 to the left and right edges of the quilt center, placing the Fabric B edge next to the quilt center. Press the seams toward the quilt center.

Step 9: Sew top and bottom striped border units from Step 7 to the top and bottom edges of the quilt center, placing the Fabric B edge next to the quilt center. Press the seams toward the quilt center.

Step 10: Sew a 3-1/2" x 45-1/2" Fabric B strip to the top and bottom of the quilt center, pressing the seams toward the Fabric B strips.

Step 11: Sew the top pieced row to the top of the quilt, pressing the seam toward the Fabric B strip. Sew the bottom pieced row to the bottom of the quilt, pressing the seam toward the Fabric B strip.

Step 12: Sew a 4-1/2" x 45-1/2" Fabric B strip to the top and bottom of the quilt center, pressing the seams toward the Fabric B strips.

Step 13: Sew a 3-1/2" x 77-1/2" Fabric B strip to the sides of the quilt, pressing the seams toward the Fabric B strips.

Your quilt top is complete! Baste, quilt, bind and enjoy!