

Sanctuary Quilt Pattern

90" x 106"



Daydream Blue



Midnight

This beautiful quilt pattern, featuring Kona Bay's Sanctuary fabric collection, is compliments of Kona Bay Fabrics and is for your personal use and enjoyment. This pattern is not for resale.

Designed by Kona Bay Studios

Written by Cathy Johnson Kind

Difficulty Level • Intermediate

Kona Bay Fabrics © 2012





Springtime

Yardage and Cutting Guide

	Springtime	Daydream Blue	Midnight
 Fabric A • 2½ yards Cut (7) 12½” strips Subcut (20) 12½” squares	SANC-01-Blue 	SANC-01-Beige 	SANC-01-Gray 
 Fabric B • 1⅓ yards Cut (10) 4½” strips Subcut (80) 4½” squares	SANC-06-Blue 	SANC-06-Sky 	SANC-06-Gray 
 Fabric C • 5/8 yard Cut (4) 4½” strips Subcut (30) 4½” squares	SANC-03-Blue 	SANC-03-White 	SANC-03-Red 
 Fabric D • 1 2/3 yards Cut (13) 4 7/8” strips Subcut (98) Equilateral Triangles using the template on page 2	SANC-04-Rose 	SANC-04-Sky 	SANC-04-Red 
 Fabric E • 2½ yards Cut (4) 5 3/8” strips Subcut (98) 5 3/8 x 2¾” Rectangles Subcut using the template on page 2	SANC-08-Green 	SANC-08-Emerald 	SANC-08-Black 
 Fabric F • 1⅛ yards Cut (7) 5¼” strips Subcut (49) 5¼” squares Subcut on each diagonal for (98) triangles	SANC-05-Rose 	SANC-05-Sky 	SANC-05-Gray 
 Fabric G • 1⅛ yards Cut (7) 5¼” strips Subcut (49) 5¼” squares Subcut on each diagonal for (98) triangles	SANC-07-Green 	SANC-07-Blue 	SANC-07-Black 
 Fabric H • 3¼ yards Cut (10) 10½” strips	SANC-02-Blue 	SANC-02-Beige 	SANC-02-Gray 
 Binding Fabric E 5/8 yard Cut (4) 2½” strips Subcut (30) 4½” squares	SANC-08-Green 	SANC-08-Emerald 	SANC-08-Black 
 Backing • 7¾ yards Fabric D	SANC-08-Green 	SANC-08-Emerald 	SANC-08-Black 

Templates for Elongated Triangle Blocks



Foundation for Elongated Triangle Blocks

If you prefer, use the foundation at the left to make the elongated triangle blocks

Test your printer's accuracy when printing templates and foundations.

This box should measure precisely 1.5" square.


Snowball Blocks

Snowball Block

Cut one 12½" square of Fabric A

Cut four 4½" squares of Fabric B


 Draw a diagonal line on the wrong side of Fabric B

 Place Fabric A and Fabric B, right sides together in the upper left corner and stitch on the drawn line.

Trim excess ¼" away from stitching line and press.

Repeat for all four corners.

Make 20 of these blocks.




Pieced Sashing

Elongated Triangle Units


Template Method

Cut 4 7/8" strips of Fabric D. Subcut equilateral triangles of Fabric A, using Template A on the next page.

Cut 5 3/8" x 2 3/4" rectangles of Fabric E. Subcut left and right triangles using Template B on the next page.



Match the dots from the templates and sew ¼" seams. Repeat on other side. Press away from center triangle.



Finished blocks will measure 4 ¼" square.

Foundation Method


Cut 5½" strips of Fabric D. Subcut equilateral triangles. Place right side up on the unprinted side of the foundation.

Cut 6" x 3¾" rectangles of Fabric E. Subcut half of the rectangles lower left to upper right and the other half lower right to upper left.

Position on the foundation and sew on the line. Repeat for Piece #3.

Trim to measure 4½" square.

Make 98 of these squares.




Quarter Square Triangles

 Cut one 5 ¼" square of Fabric F.
Subcut on each diagonal.

 Cut one 5 ¼" square of Fabric G.
Subcut on each diagonal.


Each pair of 5 ¼" squares will make two blocks

 Sew two quarter squares together to make a unit.

 Sew two units together to make a square.

 Press to relieve bulk, as illustrated on page 6.

Make 49 of these squares.




Cornerstones


Cut (30) 4 ½" squares of Fabric C

Assembling the Sashing

Sew one elongated triangle unit to each side of a quarter square triangle unit.




Make 49 of these sashing strips.



Assembling the Rows


Sew a 4½” cornerstone square to a sashing strip. Repeat to make rows with five cornerstones and four sashing strips.

Make six of these rows




Sew a sashing strip to a snowball block. Repeat to make rows with five sashing strips and four cornerstone blocks.

Make five of these rows



Pressing Matters

Use the following technique to relieve bulk when pressing pinwheel and four patch blocks.



After sewing the last seam to join the four units together, remove the stitches in the center perpendicular to the last stitching line.



Press all seams in the same direction (Clockwise or Counterclockwise depending on how you pressed your first seams)



A small pinwheel (or four patch) will be created in the center of the back and the bulk will be equally distributed.

Finishing the Quilt

Mitered Borders

Cut ten 10 ½" strips of Fabric H, making sure you have the same repeat from top to bottom on each strip.

Sew strips together so you have two strips at least 92" long and two strips at least 108" long.

Mark the center edges of the strips and the quilt top. Pin each strip to the top, beginning at the center at working towards the edge.

Stitch to within ¼" of the quilt edge. The border fabric will extend past the quilt top.

Fold the quilt, right sides together so the top edge and the right edge precisely meet. Using your ruler, place the 45° angle across the edge of the border lining up with the stitching intersection and draw a line. Stitch on this line. Carefully trim the excess border fabric and press. Repeat for other corners.

Quilt as desired and bind with Fabric E.

Please remember to label your quilt for posterity.

Send pictures of your project to Kona Bay. Your quilt might be used in an upcoming issue of the free on-line magazine, *Asian Fabric*.

