

# Dear Santa Door Banner



Finished Size: 26" x 46" Plus Prairie Points

Designed By: Janet Wecker Frisch

# Dear Santa Door Banner




22614-E



22619-J



22619-R



22621-H



22617-E

KIT REQUIREMENTS				
Design	Yards	12 Kits	18 Kits	24 Kits
		Bolts	Bolts	Bolts
22614-E	$\frac{2}{3}$	1	1	2
22619-J	$\frac{3}{4}$	1	2	2
22619-R	$\frac{1}{4}$	1	1	1
22621-H	$\frac{3}{8}$	1	1	1
22617-E	$1\frac{5}{8}$	2	3	4

## DEAR SANTA DOOR BANNER

Finished quilt size: 26" x 46" Plus Prairie Points

### Cutting

*WOF* = Width of fabric from selvage to selvage.

#### 22614-E - Dear Santa panel

- Trim panel to 43½" long. Square each long edge of the panel, removing as little fabric as possible. Panel should be approximately 23¼" wide.

#### 22619-J - Black envelope toile

- Cut (5) 4½" x WOF strips; recut into (40) 4½" squares for prairie points.

#### 22619-J - Red envelope toile

- Cut (4) 1" x WOF strips for flat piping.

#### 22621-H - Green wavy stripe

- Cut (4) 2½" x WOF strips for outer border.

#### 22617-E - Cream stamp print (backing fabric)

- Cut (1) 34" x 54" backing piece.

## Quilt Assembly

*Note: Use ¼" seam allowance for all stitching unless other directed. Refer to the quilt drawing as needed throughout the following steps.*

1. Remove the selvage edges from the ends of the red 1" strips. Measure the strips. Trim 2 strips to 43½" (if possible) and 2 strips to 23½". If the strips are shorter than 43½", sew the (4) 1" strips short ends together to make a long strip. Press seams open. Cut into (2) 43½" and (2) 23½" strips.
2. Fold each strip in half lengthwise with wrong sides together. Press. Pin the 43½" strips to the long sides of the Dear Santa panel with the fold toward the center of the panel and the raw edges of the strips along the outside edges of the panel. Repeat with the 23½" strips on the top and bottom edges of the panel. Trim strip ends even with panel edges, if necessary. Machine-baste in place ⅛" from the edge all around.
3. Repeat step 1 with the 2½" green wavy stripe strips to measure and cut or stitch and cut strips, except cut (2) 43½" strips and (2) 27½" strips. Sew the longer strips to the long sides of the panel and the shorter strips to the top and bottom. Press seams toward the green strips.
4. Trim the bordered panel to 26½" x 46½" to complete the banner top, keeping the panel centered when trimming.
5. Layer a 34" x 54" batting piece between the banner top and the prepared backing piece. Pin or baste to hold layers together. Quilt as desired, stopping 1" from the edge all around.
6. Trim batting only even with the banner top. Trim backing ¼" larger than the banner top all around. Fold the backing away from the edge all around and pin out of the way.
7. Fold each black prairie point square in half diagonally with wrong sides together, and in half diagonally again. Press.

8. Arrange 7 prairie points on the top edge of the banner top with the raw edges of the prairie points aligned with the raw edge of the banner and the points toward the center of the banner top. Evenly overlap the prairie points along the edge to fit. Pin to hold. Stitch in place ¼" from the edge through the top and batting layers. Do not catch the backing in the seam.



9. Repeat step 8 on the bottom edge of the quilt top. Repeat with 13 prairie points on each long edge of the quilt top.
10. Trim the batting seam allowance close to the stitching line of the prairie points. Fold the prairie points out from the banner top and the banner seam allowance over the batting edge to the inside of the quilt. Press.
11. Unpin the backing. Turn the edge to the wrong side ¼" all around. Press. Pin the folded edge of the backing to the folded edge of the banner seam allowance just below the prairie points. Handstitch the backing edge in place, or, from the front of the banner, machine-stitch very close to the bottom of the prairie points, catching the folded edge of the backing in your stitching.
12. Quilt as desired in the unquilted 1" around the edge of the banner to finish.

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*