
© 2023 eQuilter

Rooster Meadow

Quilt Designed by eQuilter



49" x 64"

Skill Level: Confident Beginner

Please read all instructions before beginning. Pre-washing not recommended.

Yardages and Cutting

WOF is width of fabric from selvage edge to selvage edge. LOF is length of fabric, parallel to the selvage edges. Remove as little fabric as possible when trimming selvages and squaring strip ends.

Rooster Meadow panel

• Trim to 22 1/2" wide x 42 1/2" tall, keeping the black even side to side and top to bottom.

1 1/2 yards border stripe

• Fussy-cut (2) 7 1/2" x LOF rooster stripe strips, first cutting 3/8" out from the teal narrow outline at the bottom of the stripe as shown and then cutting 7 1/2" over from there. Trim to (2) 46 1/2" strips.



• Fussy-cut (2) 5" x LOF flower stripe strips, first cutting 1/4" out from the teal narrow outline at 1 edge of the stripe and then cutting 5" over from there as shown. Trim to (2) 40 1/2" strips.



1/2 yard rooster print

- Fussy-cut (2) 5" squares with a right-facing rooster centered in each.
- Fussy-cut (2) 5" squares with a left-facing rooster centered in each.

7/8 yard blue print

- 2 strips 5" x WOF; trim to 40 1/2" for top/bottom borders.
- 3 strips 5" x WOF for side borders.

5/8 yard flower print

• 7 strips 2 1/4" x WOF for binding.

3/8 yard black solid

- 2 strips 2 1/2" x WOF; trim to 26 1/2" for panel framing.
- 2 strips 2 1/2" x WOF; trim to 42 1/2" for panel framing.

3 3/4 yards of 44/45" backing fabric OR

4 5/8 yards directional backing

- 2 pieces 65" x WOF OR
- 2 pieces 80" x WOF for directional fabric

OR

2 yards wide backing fabric

• 1 piece 65" x 80"

Batting

• 1 piece 65" x 80"

Completing the Quilt

Use a 1/4" seam allowance for all stitching. Press all seams as directed. Refer to the exploded quilt diagram on the next page as needed throughout the following steps.

1. Sew the 2 1/2" x 42 1/2" black strips to the sides of the panel. Press seams toward the strips. Stitch the 2 1/2" x 26 1/2" strips to the top and bottom to complete the 26 1/2" x 46 1/2" framed panel. Press seams toward the strips.

2. Stitch the 7 1/2" x 46 1/2" border stripe strips to the sides of the framed panel and the 5" x 40 1/2" strips to the top and bottom. Press seams toward the strips.

3. Sew the 5" x WOF blue print strips short ends together to make a long strip. Press seams to one side. Cut into (2) 55 1/2" strips. Stitch to the sides of the framed panel. Press seams toward the strips.

4. Stitch a right-facing rooster square to the left end of each 5" x 40 1/2" blue print strip and a left-facing rooster square to the right end to complete (2) 5" x 49 1/2" strips. Press seams toward the strips. Sew to the top and bottom of the panel section to complete the top. Press seams toward the strips.

5. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 65" x 80" backing piece.

6. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

7. Join the flower print binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

