



Route 66

Quilt Designed by Deb Mosa

Finished Quilt Approx. 43-1/2" x 48-1/2"- Finished Center Size: 25" x 30"

Route 66 fabrics by Exclusively Quilters - Style #3941

Fabric Requirements: Based on 42" wide fabric
1 yard scenic print (#60640-9)
1/2 yard light blue solid (#400-400-218)
1-1/4 yards black print (#60642-80)
3/8 yard navy print (#60642-20)
3/8 yard black signs (#60641-80)
1/2 yard navy signs (#60641-20)
3 yards fabric for backing (#60641-20 suggested)
50" x 55" quilt batting

An added 1/8 to 1/2 yard is added to all yardages to account for shrinkage, straightening, cutting errors and prints that may require special cutting to get the best results.
You should protect your investment in time and fabric by making sample blocks before cutting into your fabric because Exclusively Quilters will take no responsibility for replacing fabrics.
Shops who wish to kit this design are responsible for figuring yardage for their kits if they wish to reduce yardages.

Cutting Directions: All measurements based on a 1/4" seam allowance.

From the scenic print:

Cut one 30-1/2" x 42" strip, recut into one 25-1/2" x 30-1/2" rectangle

From the blue solid:

Cut four 2" x 42" strips

From the black print:

Cut one 5-1/2" x 42" strip, recut into four 3-1/2" x 5-1/2" and four 4-1/2" x 5-1/2" pieces

Cut five 2-1/2" x 42" strips for binding

Cut four 2-1/4" x 42" strips

Cut five 1-1/2" x 42" strips

From the navy print:

Cut one 5-1/2" x 42" strip, recut into six 4" x 5-1/2" and four 4-3/4" x 5-1/2" pieces

From the black signs:

Cut one 5-1/2" x 42" strip, recut into four 5-1/2" squares

From the navy signs:

Cut two 5-1/2" x 42" strips, recut into fourteen 5-1/2" squares

Sewing Directions:

1. Stitch a 2" x 42" blue solid strip to long sides of scenic print rectangle (quilt center). Press and trim excess from these and all successive border additions. Add remaining 2" blue solid strips to top and bottom of quilt center.

2. Add a 2-1/4" black print border in the same manner as the first border.

3. Lay out four 5-1/2" navy sign squares with two 3-1/2" x 5-1/2" black print and three 4" x 5-1/2" navy print pieces as shown. Stitch pieces together. Make two identical borders, then stitch to right and left sides of quilt.



Route 66

4. Lay out two 5-1/2" black sign and three 5-1/2" navy sign squares with two 4-1/2" x 5-1/2" black print and two 4-3/4" x 5-1/2" navy print pieces as shown. Stitch pieces together. Make two identical borders, then add to the top and bottom of quilt.



5. Stitch five 1-1/2" x 42" black print strips together end-to-end. Cut strip into four equal lengths. Sew a length to right and left sides then to top and bottom, pressing and trimming after each addition.

6. Sew two 1-1/2 yard lengths of backing together along selvage edges creating a two-panel wide backing. Layer the backing, batting and quilt top. Quilt or tie as desired. Carefully trim backing and batting even with quilt top.

7. Prepare binding from five 2-1/2" black print strips. Sew strips together into one long binding strip. Press strip in half lengthwise.

8. Leaving an 8" tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge.

Where these
two loose ends meet, fold
them back on themselves
and press to form a crease.
Using this crease as your
stitching line, sew the two
open ends of the binding
together right sides
together. Trim seam to
1/4" and press open.
Finish sewing binding
to quilt. Turn binding to
back of quilt and blind
stitch in place.

QUILT
LAYOUT

