


Corner-Square Striped Frame

Quilt Designed by eQuilter



65" x 71"

Skill Level: Confident Beginner

Finished Quilt Size: 65" x 71"

Please read all instructions before beginning. Pre-washing recommended for hand-dyes only. Pre-washing NOT recommended for prints or batiks.

Generic Color Key

The letters below match the labels used on the quilt diagrams throughout this pattern. Swap in your own fabric choices for each letter.

- A** Fabric A — Panel
- B** Fabric B — Corner Squares
- C** Fabric C — Pieced-Border Center Stripe
- D** Fabric D — Pieced-Border Flanking Stripes
- E** Fabric E — Binding
- F** Fabric F — Frame / Outer Border

Yardages and Cutting

WOF is width of fabric from selvedge edge to selvedge edge. Remove as little fabric as possible when removing selvages and squaring strip ends.

1 Fabric A Panel

- Trim panel to 34 1/2" x 40 1/2".

1 Fabric B Corner Squares Panel

- Fussy-cut (4) 11 1/2" squares, centering on an motif in each.

1 yard Fabric C

- 2 strips 5 1/2" x WOF; trim to (2) strips 5 1/2" x 37 1/2".
- 3 strips 5 1/2" x WOF.

1 1/4 yard Fabric D

- 4 strips 3 1/2" x WOF; trim to (4) strips 37 1/2".
- 4 strips 3 1/2" x WOF.

3/4 yard Fabric E

- 7 strips 2 1/4" x WOF for binding.

1 1/4 yard Fabric F

- 4 strips 2" x WOF; trim to 2 strips each 40 1/2" and 37 1/2" for panel framing.
- 7 strips 3 1/2" x WOF for outer border.

4 1/2 yards 42" backing fabric OR

5 yards directional backing fabric

- 2 strips 80" x WOF OR
- 2 strips 86" x WOF directional backing

OR

2 1/4 yards wide backing fabric

- 1 piece 80" x 86"

Batting

- 1 piece 80" x 86"

Completing the Quilt

Use a 1/4" seam allowance for all stitching. Press seams as directed.

1. Sew the (2) 2" x 40 1/2" Fabric F strips to the sides of the Fabric A panel. Press seams toward the strips. Stitch the (2) 2" x 37 1/2" strips to the top and bottom. Press seams toward the strips.
2. Sew the (5) 3 1/2" x WOF Fabric D strips short ends together to make a long strip. Press seams to one side. Cut into 4 strips 3 1/2" x 43 1/2".
3. Sew the (5) 5 1/2" x WOF Fabric C strips short ends together to make a long strip. Press seams to one side. Cut into 4 strips 5 1/2" x 43 1/2".

4. Sew a 5 1/2" x 43 1/2" Fabric C strip between two 3 1/2" x 43 1/2" Fabric D strips to make an 11 1/2" x 43 1/2" side border strip. Press seams toward the Fabric C strips. Repeat to make a second side strip. Repeat with the 5 1/2" x 37 1/2" Fabric C strips and 3 1/2" x 37 1/2" Fabric D strips to complete (2) 11 1/2" x 37 1/2" top/bottom strips.
5. Stitch the side border strips to the sides of the quilt center. Press seams toward the strips.
6. Stitch Fabric B squares to the ends of the top/bottom border strips. Press seams toward the border strips. Stitch the pieced strips to the top and bottom of the quilt center. Press seams toward the strips.
7. Sew the (7) 3 1/2" x WOF Fabric F strips short ends together to make a long strip. Press seams to one side. Cut into 4 strips 65 1/2". Sew (2) strips to the sides of the quilt center and the remaining (2) strips to the top and bottom to complete the top. Press seams toward the strips.
8. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 80" x 86" backing piece.
9. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.
10. Join the Fabric E binding strips on the short ends with diagonal seams to make a long strip. Trim seam to 1/4" then press seams open. Press the strip in half along the length with wrong sides together.
11. Bind the quilt edges using your favorite method to complete the quilt.

