


# Dinosaur World

Quilt Designed by eQuilter



62" x 70"



*Please read all instructions before beginning. Pre-washing recommend for hand dye only. Pre-washing NOT recommended for other fabrics.*

## Yardages and Cutting

*WOF is 42" width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when trimming selvages and squaring strip ends.*

### 1 Dinosaur panel

- Trim to 34 1/2" x 42 1/2".

### 1 1/2 yards dinosaur print

*Prepare a 7"-square clear template.*

- Fussy-cut 12 squares using template, centering a dinosaur in each square.



### 1 1/4 yards green ferns

- 4 strips 2 1/2" x WOF for panel framing.
- 7 strips 2 1/2" x WOF for border.
- 10 strips 1 1/4" x WOF; cut into 24 each 1 1/4" x 8 1/2" and 1 1/2" x 7" strips.

### 1 1/2 yards gray rocks

- 4 strips 8 1/2" x WOF; cut into (28) 4 1/2" x 8 1/2" rectangles.
- 7 strips 2 1/4" x WOF for binding.

### 1 2/3 yards tan hand dye

- 7 strips 4 1/2" x WOF; cut into (56) 4 1/2" squares.
- 2 strips 1 1/2" x WOF; trim to 40 1/2" for panel framing.
- 9 strips 1 1/2" x WOF for panel framing and border.

### 5 yards of 42" backing fabric

- 2 strips 86" x WOF

**OR**

### 2 1/4 yards wide backing fabric

- 1 piece 78" x 86"

### Batting

- 1 piece 78" x 86"

## Piecing the Blocks

*Use a 1/4" seam allowance for all stitching. Press seams as directed.*

1. Sew a 1 1/4" x 7" green strip to opposite sides of each dinosaur square. Press seams toward the strips. Stitch 1 1/4" x 8 1/2" green strips to the top and bottom to complete (12) 8 1/2" x 8 1/2" Framed Dinosaur blocks. Press seams toward the strips.




**Framed Dinosaur Block — Make 12**


2. Draw a diagonal line from corner to corner on the wrong side of each 4 1/2" tan square.

3. Referring to the diagrams on the next page, place a marked square right sides together on 1 end of a rocks rectangle. Sew on the line. Trim seam allowance 1/4" out from the stitching. Press the tan corner open with seam allowance toward the tan corner as indicated by the arrow in the diagram. Repeat with a second square on the remaining end of the rectangle to complete (1) 4 1/2" x 8 1/2" left unit. Repeat to make 14 left units.

4. Repeat step 3 to make 14 right units except position marked lines as shown and press seam allowances toward the rocks rectangle as indicated by the arrows in the diagrams.




**Left Unit — Make 14**



**Right Unit — Make 14**

5. Sew a left unit to a right unit to make (1) 8 1/2" x 8 1/2" Chevron block. Press seam to one side. Repeat to make 14 blocks.



**Chevron Block — Make 14**

## Completing the Quilt

1. Carefully remove the selvage edges from the (4) 2 1/2" x WOF green panel framing strips. Measure strips. If at least 42 1/2" long, trim 2 strips to 42 1/2" and 2 to 38 1/2". If not long enough, sew all 4 strips short ends together. Press seams to one side. Cut into 2 strips each 42 1/2" and 38 1/2". Stitch the longer strips to the long sides of the panel and the shorter strips to the top and bottom. Press seams toward the strips.

2. Sew the 1 1/2" x WOF tan strips short ends together to make a long strip. Cut into 2 strips each 64 1/2", 58 1/2" and 46 1/2". Set aside the 64 1/2" and 58 1/2" strips for step 6.

3. Stitch the 46 1/2" tan strips to the long sides of the framed panel and the 1 1/2" x 40 1/2" tan strips to the top and bottom to complete the 40 1/2" x 48 1/2" panel center. Press seams toward the strips.

4. Stitch 2 Framed Dinosaur blocks and 4 Chevron blocks together to make the 8 1/2" x 48 1/2" left strip. Press the center seam open and remaining seams toward the Framed Dinosaur blocks. Repeat to make the right strip. Sew the strips to the long sides of the panel center. Press seams toward the panel center.

5. Sew 4 Framed Dinosaur blocks alternately together with 3 Chevron blocks to make the 8 1/2" x 56 1/2" top row. Press seams toward the Framed Dinosaur blocks. Repeat to make the bottom row. Stitch the rows to the top and bottom of the panel section to complete the 56 1/2" x 64 1/2" quilt center. Press seams toward the top and bottom rows.

6. Stitch the 64 1/2" tan strips from step 2 to the long sides of the quilt center and the 58 1/2" strips to the top and bottom. Press seams toward the strips.



7. Sew the (7) 2 1/2" x WOF green border strips short ends together to make a long strip. Press seams to one side. Cut into 2 strips each 66 1/2" and 62 1/2". Stitch the longer strips to the long sides of the quilt center and the shorter strips to the top and bottom to complete the quilt top. Press seams toward the strips.

8. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seams open. Trim to make the 78" x 86" backing piece.

9. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

10. Join the gray rocks binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.