

Call of the Wild Northwoods

Quilt Designed by eQuilter



50" x 63"

Skill Level: Confident Beginner**Finished Quilt Size:** 50" x 63"

*Please read all instructions before beginning. Pre-washing recommended for hand dye only.
Pre-washing not recommended for other fabrics.*

Yardages and Cutting

*WOF is width of fabric from selvage edge to selvage edge. LOF is length of fabric, parallel to the selvage edges.
Remove as little fabric as possible when trimming selvages and squaring strip ends.*

Call of the Wild Northwoods panel

- Trim to 29 1/2" x 42 1/2".

1 1/2 yards gray animal motifs

- Fussy-cut (3) 5 1/4" x WOF strips, centering a row of motifs in each strip.
- Fussy-cut (4) 5 1/4" x remaining LOF strips, centering a row of motifs in each strip.

5/8 yard scenic print

- 7 strips 2 1/4" x WOF for binding.

1/2 yard light brown hand dye

- 4 strips 2 3/4" x WOF; trim to 2 strips each 42 1/2" and 34" for panel framing.

7/8 yard dark taupe texture

- 6 strips 4" x WOF for outer border.

3 7/8 yards of 44/45" backing fabric OR

4 1/2 yards of directional fabric

- 2 pieces 66" x WOF OR
- 2 pieces 79" x WOF for directional fabric

OR

2 yards wide backing fabric

- 1 piece 66" x 79"

Batting

- 1 piece 66" x 79"

Completing the Quilt

Use a 1/4" seam allowance for all stitching. Press seams as directed.

1. Sew the 2 3/4" x 42 1/2" light brown strips to the sides of the panel. Press seams toward the strips. Stitch the 2 3/4" x 34" strips to the top and bottom to complete the 34" x 47" framed panel. Press seams toward the strips.

2. Stitch (2) 5 1/4" x remaining LOF gray animal strips short ends together to make a long strip, matching print at the seam as much as possible. Press seam to one side. Trim to 47". Repeat to make a second strip. Sew the strips to the sides of the framed panel. Press seams toward the strips.

3. Sew the 5 1/4" x WOF gray animal strips short ends together to make a long strip, matching print at the seams as much as possible. Press seams to one side. Cut into (2) 43 1/2" strips. Stitch to the top and bottom of the framed panel. Press seams toward the strips.

4. Stitch the 4" x WOF dark taupe strips short ends together to make a long strip. Press seams to one side. Cut into 2 strips each 56 1/2" and 50 1/2". Stitch the longer strips to the sides of the panel center and the shorter strips to the top and bottom to complete the top. Press seams toward the strips.



5. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 66" x 79" backing piece.
6. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.
7. Join the scenic print binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.