

# Lady of Guadalupe

Quilt Designed by eQuilter



43 1/2" x 61 1/2"

**Skill Level:** Confident Beginner

**Finished Quilt Size:** 43 1/2" x 61 1/2"

*Please read all instructions before beginning.*

*Pre-washing NOT recommended.*

## Yardages and Cutting

*WOF is 42" width of fabric from selvage edge to selvage edge.*

*Remove as little fabric as possible when trimming selvages and squaring strip ends.*

### 1 Lady of Guadalupe panel

- Trim to 22 1/2" x 40 1/2", centering the panel.

### 1 yard Aurora ombre

- 8 strips 4" x WOF; trim 4 strips to 29 1/2" and 4 strips to 20 1/2", removing excess from the dark ends.

### 1 1/2 yards Jewel ombre

- 8 strips 5 1/2" x WOF; trim 4 strips to 36 1/2" and 4 strips to 25 1/2", removing excess from the light ends.

### 1/2 yard black solid

- 4 strips 1 1/2" x WOF; trim (2) strips to 24 1/2" and (2) strips to 40 1/2".
- 6 strips 1 1/2" x WOF for border.

### 1/2 yard roses print

- 6 strips 2 1/4" x WOF for binding.

### 3 1/2 yards of 42" backing fabric

- 2 strips 58" x WOF

### OR

### 1 3/4 yards wide backing fabric

- 1 piece 58" x 77"

### Batting

- 1 piece 58" x 77"

## Completing the Quilt

*Use a 1/4" seam allowance for all stitching. Press all seams toward each strip added.*

*Refer to the exploded quilt diagram throughout the following steps.*

1. Sew the 1 1/2" x 40 1/2" black solid strips to the long sides of the panel. Stitch the 1 1/2" x 24 1/2" strips to the top and bottom.
2. Sew (2) Aurora ombre 4" x 30" strips **light ends together** to make a 4" x 58" strip. Press seam to one side. Repeat to make a second strip. Repeat with the 4" x 20 1/2" strips to make (2) 4" x 40" strips.
3. Center and stitch the longer strips to the left and right sides of the quilt center, beginning, ending, and securing 1/4" from the corners of the quilt center. Repeat with remaining strips on the top and bottom. Miter corners using your favorite method, making sure all corners lie flat. Trim mitered corners to 1/4" and press. Press seams toward the strips.
4. Sew (2) Jewel ombre 5" x 36 1/2" strips **dark ends together** to make a 5" x 72" strip. Press seam to one side. Repeat to make a second strip. Repeat with the 5" x 25 1/2" strips to make (2) 5" x 50" strips.
5. Center and stitch the longer strips to the left and right sides of the quilt center, beginning, ending, and securing 1/4" from the corners of the quilt center. Repeat with remaining strips on the top and bottom. Miter corners using your favorite method, making sure all corners lie flat. Trim mitered corners to 1/4" and press. Press seams toward the medallion strips.
6. Sew (6) 1 1/2" x WOF black solid strips short ends together to make one long strip. Press seams to one side. Trim (2) strips to 59 1/2" and (2) strips to 43 1/2". Stitch the longer strips to the long sides of the quilt center and the shorter strips to the top and bottom. Press seams toward the strips to complete the quilt top.

7. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 58" x 77" backing piece.

8. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

9. Join rose print binding strips on the short ends with diagonal seams to make a long strip. Press seams to one side. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

### Exploded Quilt Diagram

