




NORTHCOTT
Cottons that feel like silk

naturescapes
by Deborah Edwards

Kotiya

 by Phillip Alder

FREE PATTERN • **Kotiya Wall Hanging** • 52-1/2" x 36-1/2"
by Elaine Theriault for Northcott

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5

Northcott USA
1099 Wall St. West, Suite 250
Lyndhurst, NJ 07071

www.northcott.com

Kotiya Wall Hanging

Finished Size: 52-1/2 by 36-1/2 inches

WOF = width of fabric

Fabric requirements	Yards	Cutting Instructions
Fabric A - #DP21377-10 Leopard Panel	1 panel	<ul style="list-style-type: none"> Fussy cut the panel so it measures 24 1/2" by 40 1/2"
Fabric B – Fern #21404-76 Coping strip and outer border	1 yard	<ul style="list-style-type: none"> Cut 4 strips measuring 2 1/2" by WOF (coping strips) Cut 4 strips measuring 3" for the corners of Block A <ul style="list-style-type: none"> Sub cut into 40 squares, cut each square in half diagonally once (Piece A) Cut 2 strips measuring 5 1/4" by WOF for Block B <ul style="list-style-type: none"> Sub cut into 10 squares measuring 5 1/4", cut each square in half diagonally twice (Piece B)
Fabric C – Dark stone texture #21387-99 Outer border and binding	5/8 yard	<ul style="list-style-type: none"> Cut 2 strips measuring 3 1/4" for the centers of Block A <ul style="list-style-type: none"> Sub cut into 20 squares (3 1/4") Cut 2 strips measuring 5 1/4" by WOF for Block B <ul style="list-style-type: none"> Sub cut into 10 squares measuring 5 1/4", cut each square in half diagonally twice (Piece B)
Fabric D – Leopard print #21405-12 Backing	3 yards or 1-1/2 yards of Wide Backing, trim to 69" x 53".	2 strips 53" x WOF; remove selvage edges from the backing pieces. Join on the long edges with a 1/2" seam allowance. Press seam open. Trim to 69" x 53".

Assembly:

Coping strip: Using Fabric B, cut two coping strips measuring 40 1/2" and sew to the top and bottom of the panel. Cut two more coping strips measuring 28 1/2" and sew to the two sides of the panel. Press all seams towards the border. Wall hanging should measure 28 1/2" by 44 1/2".

Block A: Sew two triangles of Fabric B (Piece A) to opposite corners of a 3 1/4" square of Fabric C. Press away from the center and add two more triangles of Fabric B (Piece A) to the remaining corners. Press away from the center. Block should measure 4 1/2". Trim if necessary. Make 20 blocks.



Block A

Block B: Lay out two triangles each of Fabric B and C (Piece B). Sew them together to get an hour glass block. Block should measure 4 1/2". Trim if necessary. Make 20 blocks.



Block B

Outer border:

Alternate 4 Block B and 3 Block A to assemble one of the side borders. Create two borders and sew them to the coping strips. Press towards the coping strips. Create the top and bottom borders by using 7 of Block A and 6 of Block B for each border.

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. The fabric goes through many processes to be delivered to the consumer and there may be some size variations. If you're unable to cut the panels to the size mentioned above, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.