

Spirit of the Wolf

Quilt Designed by eQuilter



60" x 68"

Skill Level: Confident Beginner

Finished Quilt Size: 60" x 68"

*Please read all instructions before beginning. Pre-washing recommended for hand dye only.
Pre-washing NOT recommended for other fabrics.*

Yardages and Cutting

WOF is width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when trimming selvages and squaring strip ends.

Spirit of the Wolf panel

- Trim to 33 1/2" x 41 1/2".

Wolf frames panel

- Fussy-cut (4) 10" squares with a wolf centered in each.

1 1/4 yards border stripe

- Fussy-cut (4) 10" x LOF strips, first cutting 1/4" below the base wolf stripe and then cutting over from there as shown. Trim to 2 strips each 33 1/2" and 41 1/2".



1 yard black

- 2 strip 2" x WOF; cut into (2) 2" x 41 1/2" strips.
- 4 strips 2" x WOF.
- 7 strips 3" x WOF for outer border.

5/8 yard blue texture

- 7 strips 2 1/4" x WOF for binding.

4 1/4 yards of 44/45" backing fabric OR

4 3/4 yards directional backing fabric

- 2 pieces 75" x WOF OR
- 2 pieces 83" x WOF directional fabric

OR

2 1/4 yards wide backing fabric

- 1 piece 75" x 83"

Batting

- 1 piece 75" x 83"

Piecing the Blocks

Use a 1/4" seam allowance for all stitching. Press seams as directed.

1. Stitch the (2) 2" x 41 1/2" black strips to the sides of the panel. Press seams toward the strips.
2. Sew the (2) 2" x 41 1/2" border strips to the sides of the center panel as shown. Press seams toward the strips.
3. Sew the (4) 2" x WOF black strips short ends together to make a long strip. Press seams to one side. Cut into (2) strips 55 1/2" and (4) strips 10".
4. Stitch the 2" x 55 1/2" black strips to the top and bottom of the panel. Press seams toward the strips.
5. Sew (2) 2" x 10" black strips to the sides of a 10" x 33 1/2" border stripe. Press seams toward the strips. Then sew a wolf frame to the left and right sides to complete the 55 1/2" x 10" top border strip. Press seams toward the strips. Repeat to make the bottom border strip.
6. Stitch the top and bottom border strips to the top and bottom of the center. Press seams toward the strips.
7. Repeat step 3 with the (7) 3" x WOF black strips, cutting 2 strips each 60 1/2" and 63 1/2".
8. Stitch the 3" x 63 1/2" black strips to the sides and the 3" x 60 1/2" black strips to the top and bottom of the panel to complete the quilt top. Press seams toward the strips.

9. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 75" x 83" backing piece.

10. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

11. Join the blue texture binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

