





5. Repeat step 1 with the 1 1/2" x 24 1/2" orange strips to make a 3 1/2" x 48 1/2" orange strip. Press seam open. Repeat with 1 1/2" x 24 1/2" teal strips. Repeat step 4 to make 2 folded strips and pin on the top and bottom edges of the framed panel.
6. Machine-baste 1/8" from the edge all around the framed panel. Remove pins.
7. Repeat step 3 with 4 1/2" x 17" teal and orange strips to make a 4 1/2" x 33 1/2" side strip. Repeat to make a second side strip. Stitch the strips to the sides of the framed panel. Press seams toward the strips, leaving the folded strip flat on top of the framed panel as a decorative flange.
8. Repeat step 1 with (2) 12" x 28 1/2" teal strips to make the 12" x 56 1/2" top strip. Repeat with the 12" x 28 1/2" orange strips to make the bottom strip. Sew the strips to the top and bottom of the framed panel to complete the top. Press seams toward the strips, again leaving the folded strips flat on top of the framed panel as a decorative flange.
9. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 72" x 72" backing piece.
10. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.
11. Join the yellow medallion ombre binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.