

Pretty Steampunk Kitty

Quilt Designed by eQuilter



55 1/2" x 66 1/2"

Skill Level: Confident Beginner

Finished Quilt Size: 55 1/2" x 66 1/2"

*Please read all instructions before beginning. Pre-washing recommended for hand dye only.
Pre-washing NOT recommended for other fabrics.*

Yardages and Cutting

*WOF is width of fabric from selvage edge to selvage edge. LOF is length of fabric, parallel to the selvage edges.
Remove as little fabric as possible when trimming selvages and squaring strip ends.*

Steampunk Kitty panel

- Trim to 42 1/2" x 37 1/2".

1/2 yard steampunk watches

- 1 strip 7" x WOF; cut into (4) 7" squares..

1 1/4 yard steampunk keys print

- Fussy-cut (2) 6 1/2" x LOF strips, centering on the keys in each strip (keys are about 5 1/2", so cutting should be about 1/2" outside the keys on both sides) Trim to (2) strips 6 1/2" x 42 1/2".

3/4 yard solid black

- 4 strips 2 1/2" x WOF; cut into (4) 2 1/2" x 42 1/2" strips for top and bottom borders.
- 3 strips 2 1/2" x WOF for side borders.

5/8 yard tan texture

- 7 strips 2 1/4" x WOF for binding.

7/8 yard dark brown print

- 2 strips 5" x WOF; cut into (4) 5" x 42 1/2" strips.
- 3 strips 5" x WOF for side borders.

4 yards of 44/45" backing fabric OR

4 1/2 yards directional backing fabric

- 2 pieces 70" x WOF OR
- 2 pieces 81" x WOF directional fabric

OR

2 yards wide backing fabric

- 1 piece 70" x 81"

Batting

- 1 piece 70" x 81"

Completing the Quilt

Use a 1/4" seam allowance for all stitching. Press all seams as directed.

1. Stitch (2) of the 2 1/2" x 42 1/2" black strips to the top and bottom of the panel. Press seams toward the strips. Then sew the 6 1/2" x 42 1/2" steampunk keys strips to the top and bottom. Press seams toward the strips.
2. Sew the (3) 2 1/2" x WOF black strips, short ends together to make a long strip. Press seams to one side. Cut into (2) strips 2 1/2" x 53 1/2". Repeat with the (3) 5" x WOF dark brown strips, cutting 2 strips 5" x 53 1/2".
3. Stitch the 53 1/2" black strips lengthwise with the 53 1/2" dark brown strips from step 2. Press seams toward the black strips. Sew to the sides of the framed panel as shown in the exploded diagram. Press seams toward the pieced strips.
4. Stitch the remaining (2) 2 1/2" x 42 1/2" black strips lengthwise with the (2) 5" x 42 1/2" dark brown strips. Press seams toward the black strips. Stitch a 7" steampunk watch square to each end of the strips to make the 7" x 55 1/2" top/bottom borders Sew to the top and bottom of the framed panel as shown in the exploded diagram to complete the 55 1/2" x 66 1/2" quilt top. Press seams toward the pieced strips.
5. If using 44/45" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 70" x 81" backing piece.
6. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

7. Join the tan texture binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

