


# Royal Treasure Twist

Quilt Designed by eQuilter



60" x 60"

**Skill Level:** Intermediate  
**Finished Block Size:** 9" x 9"

**Finished Quilt Size:** 60" x 60"  
**Number of Blocks:** 25

*Please read all instructions before beginning. Pre-washing NOT recommended.*

## Yardages and Cutting

*WOF is 42" width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when squaring strip ends.*

### 1 each Prismatic Shell 1, 2 and 3 panels

- Fussy-cut (16) 7 3/4" squares with a motif centered in each.

### 7/8 yard gold swirls

- 6 strips 4" x WOF for border.

### 3 yards black solid

- 5 strips 9 1/2" x WOF; cut into (16) 9 1/2" squares, (32) 1 3/8" x 9 1/2" strips and (2) 1 3/8" x 7 3/4" strips.
- 1 strip 7 3/4" x WOF; cut into (30) 1 3/8" x 7 3/4" strips.
- 7 strips 1 3/4" x WOF; cut into (12) 1 3/4" x 15", (4) 1 3/4" x 8" and (4) 1 3/4" x 7" strips.
- 6 strips 1 1/2" x WOF for outer border.
- 7 strips 2 1/4" x WOF for binding.

### 1 1/2 yards aurora twist

- See appliqué instructions.

### 4 1/3 yards backing fabric

- 2 strips 76" x WOF

### OR

### 2 1/4 yards wide backing fabric

- 1 piece 76" x 76"

### Batting


- 1 piece 76" x 76"

### 2 yards 18"-wide fusible web (optional)

## Completing the Blocks & Setting Units

*Use a 1/4" seam allowance for all stitching. Press seams as directed.*

1. Sew a 1 3/8" x 7 3/4" black strip to opposite sides of each panel square. Press seams toward the strips. Stitch the 1 3/8" x 9 1/2" black strips to the remaining sides to make (16) 9 1/2" x 9 1/2" Prismatic blocks. Press seams toward the strips.



**Prismatic Block — Make 16**

### 2. *Fusible Appliqué:*

- Trace 16 circles on the paper side of the fusible web, leaving approximately 1/4" between each shape.
- Cut out, leaving a narrow margin around each. To reduce fusible stiffness, cut out the center of each circle, leaving a 1/2"–3/4" border of fusible web inside the marked line.
- Remove unmarked paper liner, if applicable.
- Fuse the circles to the wrong side of the aurora twist fabric, centering a twist in each.
- Cut out the circles on the marked lines.


### 3. *Turned-Edge Appliqué:*

- Trace 16 circles on the aurora twist fabric, centering a twist in each.
- Cut out, adding 1/4" around each for seam allowance.
- Turn seam allowance to the wrong side. Press or baste to hold.

4. Fold each circle in quarters, right sides together, and finger-press to mark the centerlines. *For fusible appliqué, remove the paper liner from the circles.*

5. Fold each 9 1/2" black square in quarters, right sides together, and finger-press to mark the centerlines. Place a circle on each square, matching the centerlines. Fuse or pin in place.

6. Hand- or machine-stitch around the edge of each circle using thread and stitch of choice. Press each square. Trim away the black square 1/4" to the inside of the stitching behind each circle.



**Circle Unit — Make 16**


7. Set aside 6 appliquéd units for Circle blocks.

8. Cut 6 of the remaining units in half diagonally to make 12 triangles. Trim 1" from the long edge of each to make (12) 11 1/2" x 8 1/8" x 8 1/8" triangles.




**Make 12**

9. Center and sew a 1 3/4" x 15" black strip to the long edge of each triangle. Press seam toward the strip. Trim the strip ends even with the edges of the triangle to make (12) 14" x 9 7/8" x 9 7/8" Edge Units.




**Edge Unit — Make 12**

10. Cut the remaining circle unit twice diagonally to make 4 triangles. Trim 1" from each short edge of each triangle to make (4) 4 3/4" x 4 3/4" x 6 3/4" triangles.



**Make 4**

11. Stitch a 1 3/4" x 7" black strip to 1 short edge of each triangle, aligning 1 end of the strip with the square corner of the triangle. Press seam toward the strip. Sew a 1 3/4" x 8" black strip to the remaining short edge of each. Press seam toward the strip. Trim the strip ends even the long edge of the triangle to make (4) 7 1/4" x 7 1/4" x 10 1/4" Corner Units.



**Corner Unit — Make 4**


# Finishing the Quilt

1. Arrange the Prismatic and Circle blocks in 7 diagonal rows. Stitch the blocks in each row together and add a Circle Unit or Corner Unit to each end. Press all seams toward the Prismatic blocks.

2. Join the rows. Press seams to one side. Add the last 2 Corner Units to complete the 51 1/2" x 51 1/2" quilt center. Press seams away from the Corner Units.

3. Sew the 4" x WOF gold swirls strips short ends together to make a long strip. Press seams to one side. Cut into (2) each 51 1/2" and 58 1/2". Stitch the shorter strips to the sides of the quilt center and the longer strips to the top and bottom. Press seams toward the strips.

4. Repeat step 3 with the 1 1/2" x WOF black strips to complete the top, cutting (2) each 58 1/2" and 60 1/2" strips.




5. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 76" x 76" backing piece.

6. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

7. Join the black solid binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

**2" Printer Check Line**



**Make 2 copies  
Join on red lines to make  
complete pattern**