

Glamour Petals

Quilt Designed by eQuilter



79" x 79"

Skill Level: Intermediate

Finished Block Size: 12" x 12"

Finished Quilt Size: 79" x 79"

Number of Blocks: 12


Please read all instructions before beginning. Pre-washing not recommended.

Yardages and Cutting

WOF is width of fabric from selvage edge to selvage edge. LOF is length of fabric, parallel to selvage edges. Remove as little fabric as possible when squaring strip ends.

2 1/2 yards rose stripe

- 4 LOF strips 7 1/4" x 84", beginning 1/4" from the red edging of the narrow cream print stripe to the left of a wide rose stripe as shown.



2 yards large roses

- 5 strips 12 1/2" x WOF; cut into (13) 12 1/2" squares.

1/2 yard small roses

- 6 strips 2" x WOF.

3/4 yard red texture

- 12 strips 1 7/8" x WOF.

2 1/4 yards black solid

- 4 strips 6 7/8" x WOF; cut into (24) 6 7/8" squares, then cut in half diagonally to make 48 triangles.
- 7 strips 3 1/4" x WOF for border.
- 9 strips 2 1/4" x WOF for binding.

8 yards of 42" backing fabric

- 3 strips 94" x WOF

OR

2 3/4 yards wide backing fabric

- 1 piece 94" x 94"

Batting

- 1 piece 94" x 94"

Piecing the Blocks

Use a 1/4" seam allowance for all stitching. Press seams as directed.

1. Sew a 2" x WOF small roses strip lengthwise between (2) 1 7/8" x WOF red texture strips to make a strip set. Repeat to make 6 strip sets. Press seams toward the center strip in 3 strip sets and toward the outside strips in the 3 remaining strip sets.




Strip Set — Make 3 pressed to center & 3 pressed to outside

2. Place a strip set pressed toward center strip right side down on your cutting mat. Place a strip set pressed toward outside strips right side up on top. Nest seams to align strips.


3. Referring to the diagrams, carefully square the left end of the layered strip sets, removing as little fabric as possible. Measure and mark 4 3/4" from the bottom left corner. Trim end at an angle from the mark to the top left corner.

4. Cut the layered strip set into (4) 6 1/2" layered segments (4 each segments and reverse segments), measuring 9-1/8" from the trimmed angled end of the strip set, along the outer edge, and cutting at a 45 degree angle, parallel to the first cut.


5. Repeat steps 2–4 with the remaining strip sets to cut a total of 12 layered segments (12 each segments and reverse segments).



6. Stitch a $6 \frac{7}{8}$ " black triangle to opposite long edges of each segment to complete 12 each $6 \frac{1}{2}$ " x $12 \frac{1}{2}$ " half-blocks and reverse half-blocks. Press seams toward the triangles.



7. Sew a half-block to a reverse half-block to complete (1) $12 \frac{1}{2}$ " x $12 \frac{1}{2}$ " Chevron block, carefully matching angled strip set seams. Press seam open. Repeat to make 12 blocks.



Completing the Quilt

Refer to the exploded quilt diagram throughout the following steps.

1. Sew 2 Chevron blocks alternately together with 3 large roses squares to make the $12 \frac{1}{2}$ " x $60 \frac{1}{2}$ " row 1. Press seams toward the squares. Repeat to make row 5. Repeat to make row 3, except turn the Chevron blocks referring to the exploded quilt diagram.

2. Stitch 3 Chevron blocks alternately together with 2 large roses squares to make row 2. Press seams toward the squares. Repeat to make row 4.

3. Join the rows to complete the $60 \frac{1}{2}$ " x $60 \frac{1}{2}$ " quilt center. Press seams to one side.

4. Sew the $3 \frac{1}{4}$ " x WOF black strips short ends together to make a long strip. Press seams to one side. Cut into (2) $60 \frac{1}{2}$ " strips and (2) 66" strips. Stitch the shorter strips to opposite sides of the quilt center and the longer strips to the remaining sides. Press seams toward the strips.

5. Center and stitch the 7 1/4" x 84" rose stripe strips to each side of the quilt center, beginning and ending stitching 1/4" from the corners of the quilt center, securing the ends. Miter corners using your favorite method, checking to be sure that the stripe matches and all corners lie flat. Trim mitered corner seams to 1/4" and press open. Press border seams toward the stripe strips to complete the top.

6. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seams open. Trim to make a 94" x 94" backing piece.

7. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

8. Join the black solid binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

