TIMELESS TREASURES

BROOME STREET PATTERNS

Painted Horse

by CHONG-A HWANG

Around the Bend

Designed by Denniele Bohannon

Red Colorway



Blue Colorway

Finished quilt size: 41½" x 59½"

Note: This quilt is shown in two colorways—red and blue. Construction is the same for both, but cutting requirements are different, so follow the color keyed instructions.

Fabric Requirements

One panel (2/3 yard) Painted-CD6595 Black
1/4 yard Heart-CD6663 Rainbow
1 1/4 yards Soho-Black (includes 1/2 yard for binding)
1/2 yard Heart-CD6665 Red
3/4 yard Painted-CD6596 Bright
2 3/4 yards backing fabric of your choice
49" x 68" batting

Cutting

From Painted-CD6595 Black:

- Trim the panel to 22 1/2" x 40 1/2".

From Heart-CD6663 Rainbow:

- Cut four 1 1/2" x width-of-fabric (WOF) strips. Sub-cut two 1 1/2" X 40 1/2" strips and two 1 1/2" x 24 1/2" inner border strips.

From Soho-Black:

- Cut three 5" x WOF strips. Sub-cut two 5" x 29 1/2" strips and two 5" x 16" strips.
- Cut six 2 1/2" x WOF strips for binding.
- Cut one 3 1/2" x WOF strip. Sub-cut two 3 1/2" squares, cut twice diagonally (**L**); and twelve 1 7/8" x 3 1/8" rectangles, cut once diagonally (**A**).
- Cut two 2 3/4" x WOF strips. Sub-cut twelve 2 7/8" x 2 3/4" rectangles, cut once diagonally (**B**); four 3 1/8" x 2 3/4" rectangles, cut once diagonally (**C**); and eight 1 5/8" squares (**D**).
- Cut two 2 1/2" x WOF strips. Sub-cut twenty-four 1 1/4" x 2 1/2" rectangles (**E**) and twenty-four 1 5/8" x 2 1/2" rectangles (**F**).

From Heart-CD6665 Red:

- Cut four 2 5/8" x WOF strips. Sub-cut twelve 3 1/4" x 2 5/8" rectangles (**G**), twelve 4 1/2" x 2 5/8" rectangles (**H**), and four 5 7/8" x 2 5/8" rectangles (**I**).
- Cut one 2 3/4" x WOF strip. Sub-cut two 2 3/4" squares (**J**); and eight 2" squares, cut once diagonally (**K**).

From Painted-CD6596 Bright:

- Cut five 4 1/2" x WOF strips. Sew three strips together end to end and cut two 4 1/2" x 51 1/2" outer border strips. Sub-cut two 4 1/2" x 41 1/2" outer border strips from the remaining strips.

Fabric Requirements

One panel (2/3 yard) Painted-CD6595 Black
7/8 yard Soho-Black
1 3/4 yards Heart-CD6664 Blue (includes 1/2 yard for binding)
2 3/4 yards backing fabric of your choice
49" x 68" batting

Cutting

From Painted-CD6595 Black:

- Trim the panel to 22 1/2" x 40 1/2".

From Soho-Black:

- Cut three 5" x width-of-fabric (WOF) strips. Sub-cut two 5" x 29 1/2" strips and two 5" x 16" strips.
- Cut one 3 1/2" x WOF strip. Sub-cut two 3 1/2" squares, cut twice diagonally (**L**); and twelve 1 7/8" x 3 1/8" rectangles, cut once diagonally (**A**).
- Cut two 2 3/4" x WOF strips. Sub-cut twelve 2 7/8" x 2 3/4" rectangles, cut once diagonally (**B**); four 3 1/8" x 2 3/4" rectangles, cut once diagonally (**C**); and eight 1 5/8" squares (**D**).
- Cut two 2 1/2" x WOF strips. Sub-cut twenty-four 1 1/4" x 2 1/2" rectangles (**E**) and twenty-four 1 5/8" x 2 1/2" rectangles (**F**).

From Heart-CD6664 Blue:

- Cut four 1 1/2" x WOF strips. Sub-cut two 1 1/2" x 40 1/2" strips and two 1 1/2" x 24 1/2" inner border strips.
- Cut six 2 1/2" x WOF strips for binding.
- Cut four 2 5/8" x WOF strips. Sub-cut twelve 3 1/4" x 2 5/8" rectangles (**G**), twelve 4 1/2" x 2 5/8" rectangles (**H**), and four 5 7/8" x 2 5/8" rectangles (**I**).
- Cut one 2 3/4" x WOF strip. Sub-cut two 2 3/4" squares (**J**); and eight 2" squares, cut once diagonally (**K**).
- Cut five 4 1/2" x WOF strips. Sew three strips together end to end and cut two 4 1/2" x 51 1/2" outer border strips. Sub-cut two 4 1/2" x 41 1/2" outer border strips from the remaining strips.

Block Construction

All seam allowances are 1/4" and pieces are sewn right sides together.

Star Corner Block

1. Sew a **K** triangle to each side of a Soho-Black **L** triangle (*figure 1*). Make a total of eight flying-geese units.

Fig. 1

Flying-geese Unit
Make 8.

2. Noting the orientation, sew a flying-geese unit to opposite sides of a **J** square (*figure 2*). Make two units.

Fig. 2

Make 2.

3. Sew a Soho-Black **D** square to each end of the remaining flying-geese units (*figure 3*). Make a total of four units.

Fig. 3

Make 4.

4. Noting the orientation, sew the step 3 unit to opposite sides of the step 2 unit (*figure 4*). Make two star corner blocks, each measuring 5" square.

Fig. 4



Flying-geese Units

Note: There are three sizes of flying geese: small, medium and large. Follow Figure 5 for cutting triangles and use scant 1/4" seams for stitching.

5. Mark the long edge center of each **G**, **H** and **I** rectangle. Line up a ruler to connect the center dot to the lower corner and cut off the corner. Repeat with the opposite side creating a triangle (*figure 5*).

Fig. 5



6. Aligning the triangles at the upper point of **G** as shown, sew a Soho-Black **A** triangle to each side of the contrast **G** triangles (*figure* 6). Press seams toward the outer triangles.

Fig. 6



Make 12.

7. Sew a Soho-Black **F** rectangle to each short end of the **G/A** triangle unit. Make a total of twelve units. Trim each unit to 5" wide.

8. Aligning the triangles at the lower points of **H** as shown, sew a Soho-Black **B** triangle to each side of the contrast **H** triangles (*figure* 7). Press seams toward the outer triangles.

Fig. 7



Make 12.

9. Sew a Soho-Black **E** rectangle to each short end of the **H** triangle unit. Make a total of twelve units. Trim each unit to 5" wide.

Timeless Treasures
483-485 Broadway, New York, NY 10013 • Phone 212-226-1400 • Fax 212-925-4180
www.ttfabrics.com

10. Sew a Soho-Black **C** triangle to each side of the contrast **I** triangle (*figure 8*). Press seams toward the outer triangles. Make a total of four units. Trim each unit to 5" wide.

Fig. 8



Quilt Top Assembly

11. Arrange three small, three medium and one large flying-geese unit in a single row as shown in Figure 9. Join the units together aligning long edges. Press the seams in one direction. Make a total of four units.

Fig. 9



Make 4.

12. Using the quilt photo as a guide, sew a 5" x 29½" Soho-Black strip to the large triangle end of the flying-geese unit. Make two side borders.

13. Sew a star corner block to the small triangle end of a flying geese unit (*figure 10*). Sew a 5" x 16" Soho-Black strip to the opposite end. Make two top/bottom borders.

Fig. 10



Make 2.

14. Sew a 1½" x 40½" inner border strip to each side of the CD6595 Black panel.

15. Sew a 1½" x 24½" inner border strip to the top and the other to the bottom of the panel unit.

16. Using the cover photo as a guide for placement and orientation, sew a flying-geese side border unit to each side of the quilt top center. Trim excess border length. Sew a star corner block/flying-geese unit to the top and the other to the bottom of the quilt top center. Trim excess border length.

17. Sew a 4½" x 51½" outer border strip to each side of the quilt top center. Sew a 4½" x 41½" outer border strip to the top and the other to the bottom of the quilt top.

Finishing

18. Layer the quilt top, batting and backing, and quilt as desired.

19. Stitch the binding strips together end to end using diagonal seams. Fold and press the resulting long strip in half lengthwise with wrong sides together. Stitch to the quilt front, matching raw edges and mitering the corners.

20. Fold the binding to the quilt underside and hand-stitch the folded edge to the quilt back.

Denniele Bohannon
www.facebook.com/louannamaryquiltdesign

©2018 Timeless Treasures www.ttfabrics.com
This pattern is for individual home use only. This pattern may not be reproduced for commercial purposes (i.e., may not be sold).