Midnight Garden Gate

Featuring "Midnight" Collection by Chong-A Hwang for Timeless Treasures

Design and Instruction by eQuilter and Larene Smith of The Quilted Button

Finished Size: 60-1/2" x 68-1/2"



General Information

- Skill Level: Confident Beginner
- Please read all instructions before beginning.
- All seams are sewn with a 1/4" seam allowance.
- Pre-wash and press with spray starch.

WOF = Width of Fabric is based on 42".

- Press all seams open (unless directed otherwise) to decrease bulk.
- ➤ After cutting the fabric sort into the appropriate stack S1, S2, S3, etc. for less confusion.

Fabric Requirements and Cutting

1-1/2 Yards Midnight Garden – Fabric A
 3/4 Yard Blue/Purple Flowers – Fabric B
 1-7/8 Yards Black Tone – Fabric C
 1 Yard Stripe – Fabric D ***
 3/8 Yard Purple Swirls – Fabric E
 3/8 Yard Light Blue Swirls – Fabric F

3/8 Yard Multi Blue Swirls – Fabric G
4-1/2 Yards Backing
(If using WIDE Backing you will need 2-1/4 Yards)
67" x 75" Batting

Includes Binding

Step 1: Cutting the Fabric

1. Fabric A (Midnight Garden) – Cut off the BOTTOM SELVAGE edge (See Center Layout) then cut (8) strips x WOF in order as follows – 4-1/2", 5-1/2", 3-1/2", 5-1/2", 4-1/2", 3-1/2", 5-1/2", 4-1/2". Sub-cut as follows keeping in order from LEFT to RIGHT and Label S1, S2, S3, S4, etc beginning from the LEFT to ensure proper placement when sewn together as illustrated in "Center Layout" and are always cut up from the SELVAGE EDGE for the first cut.

Note: Each piece will be 36-1/2" tall. Accurate trimming in correct sequence from left to right is essential to achieve the continuous garden image.

- a. S1 (4-1/2") and S5 (4-1/2") Cut from the bottom selvage edge at 36-1/2"
- b. S2 (5-1/2"), S4 (5-1/2"), S6 (3-1/2"), S8 (4-1/2") Cut off 2" from the bottom selvage edge then measure 36-1/2" and make final cut.
- c. S3 (3-1/2") and S7 (5-1/2") Cut off 4" from the bottom selvage edge then measure 36-1/2" and make final cut.
- 2. Fabric B (Blue/Purple Flowers) Cut as follows:
 - a. Cut (1) strip at 5-1/2" x WOF Sub-cut into (4) 5-1/2" x 4-1/2" rectangles (S2 and S4), (1) 5-1/2" x 2-1/2" rectangle (S7), and (1) 5-1/2" x 6-1/2" rectangle (S7).
 - b. Cut (1) strip at 4-1/2" x WOF Sub-cut into (2) 4-1/2" x 6-1/2" rectangles (S1 and S5), (2) 4-1/2" x 2-1/2" rectangles (S1 and S5), and (2) 4-1/2" squares (S8).
 - c. Cut (1) strip at 3-1/2" x WOF Sub-cut into (1) 3-1/2" x 2-1/2" rectangle (S3), (1) 3-1/2" x 6-1/2" rectangle (S3), and (2) 3-1/2" x 4-1/2" rectangles (S6).
 - d. Cut (1) strip at 8-1/2" x WOF Sub-cut into (2) 8-1/2" squares Outer Border Cornerstones.
- 3. Fabric C (Black Tone) Cut as follows:
 - a. Cut (2) strips at 2-1/2" x WOF Sub-cut into (6) 5-1/2" x 2-1/2" rectangles (S2, S4, and S7), (6) 4-1/2" x 2-1/2" rectangles (S1, S5, S8), and (4) 3-1/2" x 2-1/2" rectangles (S3 and S6).
 - b. Cut (9) strips at 1-1/2" x WOF Sew all the strips together at the 1-1/2" edge then sub-cut into (7) 1-1/2" x 48-1/2" rectangles Sashing between STRIPS in center as illustrated on the cover.
 - c. Cut (16) strips at 2-1/2" x WOF Sub-cut into (8) 2-1/2" squares (Outer Border Cornerstones). From the remainder of the strips sew them all together at the 2-1/2" edge then sub-cut as follows:
 - i. Cut (2) 2-1/2" x 48-1/2" rectangles (Left and Right Sides) and (2) 44-1/2" x 2-1/2" rectangles (Top and Bottom) Inner Border.

- ii. Cut (4) 2-1/2" x 52-1/2" rectangles (Left and Right Sides) and (4) 44-1/2" x 2-1/2" rectangles (Top and Bottom) Outer Border.
- 4. Fabric D (Stripe) Cut (12) strips at 2-1/2" x WOF Cut as follows:
 - a. From (1) of the 2-1/2" strips cut (2) 2-1/2" x 4-1/2" rectangle and (2) 2-1/2" square Upper Right and Lower Left Cornerstones.
 - b. Sew (3) of the 2-1/2" strips together at the 2-1/2" edge then sub-cut into (2) 2-1/2" x 52-1/2" rectangles (Left and Right Sides) Outer Border.
 - c. Join the remaining (8) strips together at the 2-1/2" edge for the BINDING.
- 5. Fabric E (Purple Swirls) Cut (4) strips at 2-1/2" x WOF Cut as follows:
 - a. From (1) of the 2-1/2" strips cut (2) 2-1/2" x 6-1/2" rectangle Upper Right and Lower Left Cornerstones.
 - b. Sew the remaining (3) strips together at the 2-1/2" edge then sub-cut into (2) 2-1/2" x 52-1/2" rectangles (Left and Right Sides) Outer Border.
- 6. Fabric F (Light Blue Swirls) Cut (3) strips 2-1/2" x WOF Sew all the strips together at the 2-1/2" edge then sub-cut into (6) 2-1/2" squares (Upper Right and Lower Left Cornerstones) and (2) 44-1/2" x 2-1/2" rectangles (Top and Bottom Outer Border).
- 7. Fabric G (Multi Blue Swirls) Cut (3) strips at 2-1/2" x WOF Sew all the strips together at the 2-1/2" edge then subcut into (2) 6-1/2" x 2-1/2" rectangles (Upper Right and Lower Left Cornerstones) and (2) 44-1/2" x 2-1/2" rectangles (Top and Bottom Outer Border.

Step 2 – Sewing the Center

Note: Refer to the illustration of the CENTER LAYOUT. All of the pieces are sewn together from top to bottom to measure 48-1/2" tall and vary in width. Be sure to keep them labeled as S1, S2, S3, S4, etc. The center is sewn in columns with sashing, and then sewn together each time a new column is completed for less confusion.




- 8. S1 Sew at the 4-1/2" edge Fabric B 4-1/2" x 6-1/2", Fabric C 4-1/2" x 2-1/2", S1, Fabric C 4-1/2" x 2-1/2", Fabric B 4-1/2" x 2-1/2" then sew (1) Fabric C 1-1/2" x 48-1/2" rectangle to the RIGHT SIDE.
- 9. S2 Sew at the 5-1/2" edge Fabric B 5-1/2" x 4-1/2", Fabric C 5-1/2" x 2-1/2", S2, Fabric C 5-1/2" x 2-1/2", Fabric B 5-1/2" x 4-1/2". Sew (1) Fabric C 1-1/2" x 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S1.
- 10. S3 Sew at the 3-1/2" edge Fabric B 3-1/2" x 2-1/2", Fabric C 3-1/2" x 2-1/2", S3, Fabric C 3-1/2" x 2-1/2", Fabric B 3-1/2" x 6-1/2". Sew (1) Fabric C 1-1/2" x 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S2.
- 11. S4 Sew at the 5-1/2" edge Fabric B 5-1/2" x 4-1/2", Fabric C 5-1/2" x 2-1/2", S4, Fabric C 5-1/2" x 2-1/2", Fabric B 5-1/2" x 4-1/2". Sew (1) Fabric C 1-1/2" x 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S3.
- 12. S5 Sew at the 4-1/2" edge Fabric B 4-1/2" \times 6-1/2", Fabric C 4-1/2" \times 2-1/2", S5, Fabric C 4-1/2" \times 2-1/2", Fabric B 4-1/2" \times 2-1/2". Sew (1) Fabric C 1-1/2" \times 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S4.
- 13. S6 Sew at the 3-1/2" edge Fabric B 3-1/2" \times 4-1/2", Fabric C 3-1/2" \times 2-1/2", S6, Fabric C 3-1/2" \times 2-1/2", Fabric B 3-1/2" \times 4-1/2". Sew (1) Fabric C 1-1/2" \times 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S5.

- 14. S7 Sew at the 5-1/2" edge Fabric B 5-1/2" x 2-1/2", Fabric C 5-1/2" x 2-1/2", S7, Fabric C 5-1/2" x 2-1/2", Fabric B 5-1/2" x 6-1/2". Sew (1) Fabric C 1-1/2" x 48-1/2" rectangle to the RIGHT SIDE then sew to the RIGHT SIDE of S6.
- 15. S8 Sew at the 4-1/2" edge Fabric B 4-1/2" square, Fabric C 4-1/2" x 2-1/2", S8, Fabric C 4-1/2" x 2-1/2", Fabric B 4-1/2" square then sew to the RIGHT SIDE of S7 to finish the center at 40-1/2" x 48-1/2".

<u>Step 3 – Upper Right and Lower Left Cornerstones</u>

Note: Both Cornerstones are sewn exactly the same way except for they will rotate when sewn into the quilt as illustrated in the Cornerstones.

- 16. Sew (1) Fabric C 2-1/2" square to (1) Fabric D 2-1/2" square then sew (1) Fabric C 2-1/2" square to the right to measure 6-1/2" x 2-1/2" Make (2).
- 17. Sew (1) Fabric G 6-1/2" x 2-1/2" rectangle to the bottom of the rectangle just sewn to measure 6-1/2" x 4-1/2" Make (2) Set aside.



- 18. Sew (1) Fabric C 2-1/2" square to (1) Fabric F 2-1/2" square Make (4) at 2-1/2" x 4-1/2".
- 19. Sew (1) of rectangles just sewn to each 4-1/2" edge of (1) Fabric D 2-1/2" x 4-1/2" rectangle with Fabric C always towards the top to measure 6-1/2" x 4-1/2" Make (2).
- 20. Sew (1) rectangle from Instruction No. 17 to the top of (1) rectangle from Instruction No. 19 to measure 6-1/2" x 8-1/2" Make (2).
- 21. Sew (1) Fabric F 2-1/2" square to the bottom of Fabric E (1) 2-1/2" \times 6-1/2" rectangle at the 2-1/2" edge to measure 2-1/2" \times 8-1/2" then sew to the LEFT SIDE of the rectangle from Instruction No. 20 to finish the Cornerstones at 8-1/2" square Make (2) and set aside.

Step 4 – Sewing the Borders.

Note: Refer to the illustration on the cover page as a guide when sewing on the Borders. Be sure to check the position of the pieced Cornerstones before sewing.

Inner Border

22. Sew (1) Fabric C 2-1/2" x 48-1/2" rectangle to the left and right sides of the center then sew (1) Fabric C 44-1/2" x 2-1/2" rectangle to the top and bottom to finish the inner border at 44-1/2" x 52-1/2".

Outer Border Left and Right Sides

23. Sew (1) of each of the following together at the 52-1/2" edge from left to right – (1) Fabric C 2-1/2" x 52-1/2", (1) Fabric D 2-1/2" x 52-1/2", (1) Fabric C 2-1/2" x 52-1/2", (1) Fabric E 2-1/2" x 2-1/2" x 2-1/2". Sew (1) to the Left and Right sides with Fabric E towards the inside to measure 60-1/2" x 2-1/2".

Outer Border Top and Bottom

- 24. Sew (1) of each of the following together at the 44-1/2" edge from top to bottom (1) Fabric C 44-1/2" x 2-1/2", (1) Fabric G 44-1/2" x 2-1/2", (1) Fabric C 44-1/2" x 2-1/2", (1) Fabric F 44-1/2" x 2-1/2" Make (2) at 44-1/2" x 8-1/2".
- 25. Sew (1) Fabric B 8-1/2" square to LEFT SIDE of (1) of the rectangles just sewn with Fabric C towards the top then sew the UPPER RIGHT CORNERSTONE to the right side to measure 60-1/2" x 8-1/2". Sew to the TOP
- 26. Sew (1) Fabric B 8-1/2" square to the RIGHT SIDE of the remaining rectangle with Fabric C towards the bottom then sew the LOWER LEFT CORNERSTONE to the left side to measure 60-1/2" x 8-1/2". Sew to the BOTTOM to finish the quilt top at 60-1/2" x 68-1/2".

Step 5 - Finishing the Quilt

Note about Backing: You may use a 2-1/4 yards piece of wide backing. Or if using 42" to 44" wide fabric, cut (2) backing pieces at 2-1/4 yards by WOF, and the seam may be horizontal or vertical. Sew the SELVAGE edges together using a 1" seam then trim the selvage off and press to one side.

- 27. Layer the backing, batting, and quilt top and quilt as desired.
- 28. Using the Fabric D 2-1/2" strips sew on the binding to finish the quilt.