

Lakeside Cabin

Quilt Designed by eQuilter



52" x 64"

Skill Level: Intermediate

Finished Quilt Size: 52" x 64"

Please read all instructions before beginning. Pre-washing recommended for hand dyes only. Pre-washing NOT recommended for other fabrics.

Yardages and Cutting

WOF is 42" width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when trimming selvages and squaring strip ends.

1 Lakeside Cabin panel

- Trim to 22 1/2" x 42 1/2".

3/4 yard brown texture

- 3 strips 6" x WOF.
- 2 strips 2" x WOF; trim to 36 1/2".

1 1/4 yards taupe texture

- 1 strip 7 1/4" x WOF; cut into (5) 7 1/4" squares, then cut twice diagonally to make 20 triangles.
- 3 strips 3 1/2" x WOF; cut into 4 each 3 1/2" x 12 7/8" and 3 1/2" x 9 7/8" rectangles.
- 6 strips 2 1/2" x WOF for border.

2/3 yard medium blue hand dye

- 1 strip 7 1/4" x WOF; cut into (4) 7 1/4" squares, then cut twice diagonally to make 16 triangles.
- 1 strip 6 7/8" x WOF; cut into (2) 6 7/8" squares and (2) 4 3/4 squares. Cut the 6 7/8" squares in half diagonally to make 4 triangles.
- 1 strip 4 3/4" x WOF; cut into (8) 4 3/4" squares.

2/3 yard light blue hand dye

- 7 strips 2 5/8" x WOF; cut into 14 each 2 5/8" x 9 3/8" and 2 5/8" x 7 1/4" rectangles.

1 yard black solid

- 7 strips 2 1/4" x WOF for binding.
- 4 strips 2" x WOF; trim to 2 strips each 42 1/2" and 25 1/2" for panel framing.

4 yards of 42" backing fabric OR

4 5/8 yards of 42" directional fabric

- 2 strips 68" x WOF OR
- 2 strips 80" x WOF for directional fabric

OR

2 yards wide backing fabric

- 1 piece 68" x 80"

Batting

- 1 piece 68" x 80"

Piecing the Units

Use a 1/4" seam allowance for all stitching. Press seams as directed.


1. Layer (4) 2 5/8" x 7 1/4" light blue rectangles right side up on your cutting mat with all edges aligned. Measure over and mark 2 5/8" from the bottom left corner. Trim from the top left corner to the mark to make 4 A strips. Repeat to make 14 A strips. Repeat with 2 5/8" x 9 3/8" light blue strips to make 14 B strips **except** measure and trim as shown. Repeat with the 3 1/2" x 9 7/8" and 3 1/2" x 12 7/8" taupe rectangles to make 4 each C and D strips **except** measure 3 1/2" and trim as shown.




Trim 14 each A & B strips and 4 each C & D strips

2. Referring to the diagrams on the next page, sew an A strip to 1 short side of a medium blue 7 1/4" triangle, matching the square end of the strip to the square corner of the triangle. Press seam toward the strip. Add a B strip to the remaining short side to complete (1) 13 1/4" x 9 3/8" x 9 3/8" X unit. Press seam toward the strip. Repeat to make 14 units. Machine-baste 1/8" from the long edge of each unit to stabilize the bias edge. *Set aside the 2 remaining 7 1/4" medium blue triangles for another project.*

3. Repeat step 2 with the C and D strips and medium blue 6 7/8" triangles to make (4) 12 7/8" x 12 7/8" x 18 1/4" corner units.



4. Stitch a 7 1/4" taupe triangle to 1 short side of a 4 3/4" medium blue square. Press seam toward the triangle. Repeat on an adjacent side of the square to complete (1) 9 3/8" x 9 3/8" x 13 1/4" Y unit. Repeat to make 10 Y units. Machine-baste 1/8" from the short edges of each unit to stabilize the bias edges.



Completing the Quilt

1. Sew 2" x 42 1/2" black strips to the sides of the panel. Press seams toward the strips. Add 2" x 25 1/2" strips to the top and bottom. Press seams toward the strips.

2. Stitch the 6" x WOF brown texture strips short ends together to make a long strip, press seams to one side. Cut into (2) 45 1/2" strips. Sew to the sides of the framed panel. Stitch the 2" x 36 1/2" brown strips to the top and bottom to complete the 36 1/2" x 48 1/2" panel center. Press seams toward the strips.

3. Sew 4 X units together with 3 Y units to make a 6 1/2" x 48 1/2" side strip. Gently press seams toward the X units. Repeat to make a second side strip.

4. Center and pin the strips to the long sides of the panel center. (*The corners of the end X units will extend beyond the top and bottom edges of the panel center.*) Stitch in place. Gently press seams toward the panel center.

5. Stitch 3 X units together with 2 Y units to make a 6 1/2" x 36 1/2" strip. Gently press seams toward the X units. Repeat to make a second strip. Repeat step 4 to stitch the strips to the top and bottom of the panel center.



6. Center and sew the corner units to the angled edges of the pieced unit to complete the 48 1/2" x 60 1/2" quilt center. Press seams toward the corner units.
7. Sew the 2 1/2" x WOF taupe strips short ends together to make a long strip. Press seams to one side. Cut into 2 strips each 60 1/2" and 52 1/2". Stitch the longer strips to the sides of the quilt center and the shorter strips to the top and bottom to complete the top. Press seams toward the strips.
8. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make a 68" x 80" backing piece.
9. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.
10. Join the black solid binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.