

Pacific Northwest Panel

Quilt Designed by eQuilter



61 1/2" x 61 1/2"

Skill Level: Intermediate

Finished Quilt Size: 61 1/2" x 61 1/2"

*Please read all instructions before beginning.
Pre-washing recommended for hand dyes only. Pre-washing not recommended for other fabrics.*

Yardages and Cutting

WOF is 42" width of fabric from selvage edge to selvage edge. LOF is along the length of the fabric, parallel to the selvage edges.

9 Pacific Northwest panels

- Trim each panel to 9 1/2" square, keeping the motif centered.

2 yards border stripe

- 4 identical 5" x 66" LOF strips, centering the dreamcatcher stripe section in each strip.

2/3 yard red hand dye

- 11 strips 1 1/4" x WOF; cut into (18) 1 1/4" x 11" strips and (18) 1 1/4" x 9 1/2" strips.
- 2 strips 1 1/2" x WOF; cut into (36) 1 1/2" squares.

1 1/8 yards black hand dye

- 8 strips 4 3/8" x WOF; cut into (72) 4 3/8" squares, then cut in half diagonally to make 144 triangles.

1 3/4 yards cream hand dye

- 4 strips 4 3/8" x WOF; cut into (36) 4 3/8" squares, then cut in half diagonally to make 72 triangles.
- 2 strips 8 1/4" x WOF; cut into (9) 8 1/4" squares, then cut twice diagonally to make 36 triangles.
- 7 strips 2 1/4" x WOF for binding.

4 1/2 yards 42" backing fabric

- 2 pieces 77" x WOF

OR

2 1/4 yards wide backing fabric

- 1 piece 77" x 77"

Batting

- 1 piece 77" x 77"

Piecing the Blocks & Sashing Units & Strips

Use a 1/4" seam allowance for all stitching. Press seams as directed.

1. Sew a 1 1/4" x 9 1/2" red strip to the right and left sides of each panel square and 1 1/4" x 11" red strips to the top and bottom to complete (9) 11" x 11" Pacific Northwest blocks. Press seams toward the red strips.



Pacific Northwest Block — Make 9

2. Stitch a 4 3/8" black triangle to each 4 3/8" cream triangle on the long diagonal edges to make (72) 4" x 4" triangle units. Press seams toward the black triangles.



Triangle Unit — Make 72

3. Join 3 triangle units to make a 4" x 11" C sashing strip. Press seams to the black edges. Repeat to make 6 C sashing strips. Repeat to make 6 reversed CR sashing strips, turning the units in each strip.



4. Draw a diagonal line on the wrong side of the 1 1/2" red squares.



5. Place a marked square right sides together on the black corner of a triangle unit. Sew on the marked line. Trim seam allowance 1/4" out from the stitching. Press the red corner open to make 1 A triangle unit. Repeat to make 18 A triangle units. Repeat with a red square on the cream corner of 18 triangle units to make B triangle units.



6. Sew 2 A triangle units together on the black/red sides to make a 4" x 7 1/2" A flying geese unit. Press seam open. Repeat to make 8 units. Stitch 2 B triangle units together on the cream/red sides to make a 4" x 7 1/2" B flying geese unit. Press seam open. Repeat to make 8 units.



7. Join 2 A flying geese units on the black/red edges to make a 7 1/2" x 7 1/2" A sashing square. Press seam open. Repeat to make a second A sashing square. Repeat to join B flying geese units on the cream/red edges to make 2 B sashing squares.



8. Sew a 4 3/8" black triangle to 1 short edge of each 8 1/4" cream triangle. Press seam toward the black triangle. Repeat on the remaining short edge of each cream triangle to make (36) 4" x 7 1/2" flying geese units.



9. Join 3 flying geese units to make a 7 1/2" x 11" flying geese strip. Press seams to the cream sides. Repeat to make 12 flying geese strips.



Completing the Quilt

Refer to the exploded quilt diagram throughout the following steps.

1. Arrange 1 each A and B triangle unit, 1 each A and B flying geese unit. 1 reversed CR sashing strip and 2 C sashing strips to make the top sashing row. Sew the units and strips together to complete the 4" x 53" row. Press all seams away from the C and reversed C sashing strips. Repeat to make the bottom sashing row.

2. Sew 3 Pacific Northwest blocks alternately together with 2 flying geese strips and 2 CR sashing strips to make the 11" x 53" block row 1. Press seams toward the blocks. Repeat to make block row 3. Repeat to make block row 2 using 2 C sashing strips.

3. Stitch 3 flying geese strips alternately together with 1 each A and B flying geese unit and A and B sashing square to make a 7 1/2" x 53" center sashing row. Press seams away from the flying geese strips. Repeat to make a second center sashing row.

4. Stitch the block rows together with the sashing rows to complete the 53" x 53" quilt center. Press seams to one side.

5. Center and stitch a 5" x 66" border stripe strip to the left and right sides of the quilt center, beginning and ending stitching 1/4" from the corners of the quilt center, securing stitching at each end. Repeat on the top and bottom edges. Miter corners using your favorite method, checking to be sure that the stripe sections match and all corners lie flat. Trim mitered corner seams to 1/4" and press open. Press border seams toward the border strips to complete the quilt top.

6. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make a 77" x 77" backing piece.

7. Layer the top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

8. Join the cream hand-dye binding strips on the short ends with diagonal seams to make a long strip. Press seams in one direction. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.

