

# Good Dogs

Quilt Designed by eQuilter



58" x 58"



*Please read all instructions before beginning.  
Pre-washing NOT recommended.*

## Yardages and Cutting

*WOF is 42" width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when trimming selvages and squaring strip ends.*

### 1 Good Dogs panel

- Fussy-cut (1) 17 3/4" square and (8) 8" squares, keeping the motif centered in each.

### 3/4 yard dog print

*Prepare an 8"-square clear template. Apply a heavy coat of spray starch or spray stabilizer to the fabric before cutting.*

- Fussy-cut (4) 8" squares, placing template on-point on the fabric and centering a dog motif in each square.



### 1/2 yard prism print

- 2 strips 3 1/4" x WOF; cut into (2) 3 1/4" x 23 1/4" and (2) 3 1/4" x 17 3/4" strips.

### 1 1/4 yards blue print

- 6 strips 3 3/4" x WOF for second border.
- 7 strips 2 1/4" x WOF for binding.

### 1 1/4 yards multicolor mottled

- 12 strips 1" x WOF; cut into (24) 1" x 9" and (24) 1" x 8" strips.
- 4 strips 1 1/8" x WOF; cut into (2) 1 1/8" x 24 1/2" and (2) 1 1/8" x 23 1/4" strips.
- 5 strips 1 1/4" x WOF for first border.
- 6 strips 1 1/2" x WOF for third border.

### 1 yard paw print

- 4 strips 6 7/8" x WOF; cut into (24) 6 7/8" squares, then cut in half diagonally to make 48 triangles.

### 4 yards of 42" backing fabric

- 2 strips 72" x WOF

OR

### 2 yards wide backing fabric

- 1 piece 72" x 72"

### Batting

- 1 piece 72" x 72"

## Piecing the Blocks

*Use a 1/4" seam allowance for all stitching. Press all seams as directed.*

1. Sew a 1" x 8" multicolor mottled strip to the sides of each 8" panel square. Press seams toward the strips. Stitch 1" x 9" strips to the top and bottom to complete (8) 9" x 9" panel center units. Press seams toward the strips. Repeat with the dog print squares to make (4) 9" x 9" print center units.



Panel Center Unit — Make 8



Print Center Unit — Make 4

2. Fold each center unit in quarters with right sides together and finger-press to mark the center of each side. Fold each paw print triangle in half with wrong sides together and finger-press to mark the center of the long side.

3. Place a triangle right sides together on opposite sides of a panel center unit, matching the creased centers. Pin to hold. Stitch the triangles to the sides. Press seams toward the triangle. Repeat on the remaining sides of the center unit to complete (1) 12 1/2" x 12 1/2" Panel block.

4. Repeat step 3 to make 8 Panel blocks. Repeat with the print center units to make (4) 12 1/2" x 12 1/2" Print blocks.



Panel Block — Make 8



Print Block — Make 4

## Completing the Quilt

1. Sew a 3 1/4" x 17 3/4" prism strip to opposite sides of the 17 3/4" panel square. Press seams toward the strips. Add the 3 1/4" x 23 1/4" strips to the top and bottom. Press seams toward the strips.

2. Repeat with the 1 1/8" x 23 1/4" and 1 1/8" x 24 1/2" multicolor mottled strips to complete the 24 1/2" x 24 1/2" panel center. Press seams toward the strips.

3. Join 2 Panel blocks top to bottom to make a 12 1/2" x 24 1/2" side strip, referring to the exploded quilt diagram for positioning of blocks. Press seam open. Repeat to make a second side strip. Stitch the strips to the sides of the panel center. Press seams toward the panel center.

4. Join 2 Panel blocks side to side and add a Print block to each end to make the 12 1/2" x 48 1/2" top row. Press seams open. Repeat to make the bottom row. Sew the rows to the top and bottom of the center section to complete the 48 1/2" x 48 1/2" quilt center. Press seams toward the rows.

5. Stitch the 1 1/4" x WOF multicolor mottled strips short ends together to make a long strip. Press seams to one side. Cut into 2 each 48 1/2" and 50" strips. Sew the shorter strips to opposite sides of the quilt center and the longer strips to the top and bottom. Press seams toward the strips.

6. In the same manner, join the 3 3/4" x WOF blue print strips, cut into 2 each 50" and 56 1/2" strips and sew to the edges of the quilt center.



7. Repeat with the 1 1/2" x WOF multicolor mottled strips, cut into 2 each 56 1/2" and 58 1/2" strips and stitch to the edges of the quilt center to complete the top.

8. If using 42" backing fabric, remove the selvage edges from the backing pieces. Join the pieces on the long edges with a 1/2" seam allowance. Press seam open. Trim to make the 72" x 72" backing piece.

9. Layer the quilt top with the backing and batting pieces. Quilt as desired. Trim batting and backing even with the top.

10. Join the blue print binding strips on the short ends with diagonal seams to make a long strip. Press seams open. Press the strip in half along the length with wrong sides together. Bind the quilt edges using your favorite method to complete the quilt.